

APPENDIX 7 - TRACEABILITY INFORMATION

Mooring plates



Batch format: 106268

Anchor



Batch format: 87464 painted on shank in addition to marked on top of the shank (red ring)

Studless ground chain



Batch format: 07050CHN14

Master link and rings



Batch format: R10

Long-linked alloy chain



Batch format: V 19

Marked every meter. Letter (V) and number (19) on each chain link. 4 links between letters and numbers.

As of March 2017, the long-linked chain will be marked with letters and numbers together on the link.

Thimbles (all types)



Batch format: Dimension - 88484


Rock bolt



Batch format (Eye bolt and T-bolt): UIM

Batch format (with Swivel): UIM - The traceability mark is on the head of the swivel bolt.

Chain sling with welded master link



Batch format: NOR0002

Chain slings delivered in 2017 or later are labeled so that only the label on the master link shall be read, see picture above.

Chain slings before 2017 are labeled with tracking on the master link and tracking on first chain link which in combination provides tracking

Mooring shackle (Bow)



Batch format: YHA

Mooring shackle (Bolt)



Batch format: YGY

Buoys (Polyform)

The ID label (tracking number) as shown below shall be clearly visible on all delivered buoys. The label consists of a unique number, a barcode, and RFID. All can be used for tracking components against their product certificates.



In addition, the APB and APBXL series have type labels, which state the product type and part number as shown below.

